

WG4 [WET WALL]

WATER SERVICES

PODS CAN TRADE FROM STORED WATER AND WASTE BOTTLES OR A MAINS SUPPLY. WHERE MAINS WATER IS AVAILABLE, SERVICES SHOULD BE TERMINATED UNDER THE DRINKS MACHINES USING A 15MM THREADED TAP. THE HEIGHT CLEARANCE UNDER THE CABINET IS 100MM.

MOST WALLS USE WATER BOTTLES FOR WASTE WATER BUT WHERE DRAINAGE IS AVAILABLE IT SHOULD BE TERMINATED USING A 50MM GULLEY AT FLOOR LEVEL WITH AN AIR OMITTANCE VALUE AND TRAP.

ELECTRICAL SERVICES

WALLS ARE CONFIGURED TO SUIT 63AMP SINGLE PHASE AS STANDARD.

FLAME RETARDANCY

WG4 WALLS ARE MANUFACTURED TO SUIT THE DEMANDS OF UK CLASS '0' SURFACE SPREAD OF FLAME GOVERNED TO BE SUITABLE FOR PUBLIC SPACES. ULTRA LOW SMOKE OPTION IS ALSO AVAILABLE FOR SITES WITH PARTICULAR REBUST DEMANDS (UNDERGROUND TRANSPORTATION SITES ETC)

INTERNAL WALL ELEVATION



REVISIONS			
No	Description	Date	Name
A	COFF/MAG ALT	13.04.08	KRS
B	SHELVES ADDED	13.05.08	KRS
C	CHILLER MOVE	13.05.08	KRS
D	DIMS ADDED	14.05.08	KRS
E	COMP ALTS	19.05.08	KRS
F	BEV UNIT ADD	30.05.08	KRS

Date: 06/04/08

Dwg No: WG4 - [WET WALL]

POD303.com

WWW.POD303.COM
TEL No : 01592 582 782

THIS DRAWING IS COPYRIGHT AND THE PROPERTY OF POD303.COM.
CONTRACTOR TO VERIFY ALL DIMENSIONS AND NOTIFY POD303 OF ANY DISCREPANCIES WITHIN 48 HRS